



LONDON *faetano*



LONDON

London è la prima serie
in Gres Porcellanato 20x20
di Ceramica Faetano.

Una serie che traduce in linguaggio contemporaneo
il fascino delle tradizionali piastrelle in cemento decorato,
con le sue trame floreali e motivi geometrici,
per pavimenti e rivestimenti destinati a durare in eterno.
La collezione è caratterizzata
da 5 decori venduti separatamente
e da 4 colori di base in abbinamento.

First Gres Porcelain collection
by Ceramica Faetano in the size 20x20.

It translates all the charm
of traditional decorated cement tiles
into a contemporary language,
with his floral and geometric patterns,
suitable for lifetime durable floorings and coverings.
The collection is characterized by
5 different decos, sold individually,
matching 4 field colors tile.



Pavimento / Floor: LD 5
Rivestimento / Wall: LD 10 - Camden - Soho - Whitechapel - Notting Hill - Mayfair



LD 10 - Camden - Soho - Whitechapel - Notting Hill - Mayfair



◀ Pavimento / Floor: Notting Hill
Rivestimento / Wall: Soho





Pavimento / Floor: HAV 8 Rett.
Rivestimento / Wall: Camden - Soho - Whitechapel - Notting Hill - Mayfair




Pavimento / Floor: LD 10 - Notting Hill
Rivestimento / Wall: LD 2





Mayfair





Soho






Whitechapel








 Box	Package	20x20
	Pieces	29
	Mq.	1,16
 Europallet	Boxes	45
	Mq.	52,20
	Kg.	940,00

SHADE VARIATION			
			
			
			
LOW	Moderate	HIGH	RANDOM

FIRE								
								
LA PORCELLANA SMALTATA	SPESSORE	RESISTENZA AL GELO	ASSORBIMENTO D'ACQUA	CAMPO D'IMPIEGO CONSIGLIATO	RESISTENZA CHIMICA	RESISTENZA ALLO SCIVOLAMENTO	ASCIUTTO	BAGNATO
THE GLAZED PORCELAIN	THICKNESS	FROST RESISTANCE	WATER ABSORPTION	RECOMMENDED USE	CHEMICAL RESISTANCE	SLIPPING RESISTANCE	DRY	WET
GLASIERTES FEINSTEINZEUG	STAERKE	FROSTBESTÄNDIGKEIT	WASSERAUFNAHME	ANWENDUNGSBEREICH	BESTÄNDIGKEIT GEGEN CHEMIKALIEN	RUTSCHFESTIGKEIT	TROCKEN	NASS
LA PORCELAINE EMAILÉE	ÉPAISSEUR	RESISTANCE AU GEL	ABSORPTION D'EAU	PIECE D'EMPLOI CONSEILLÉE	RESISTANCE CHIMIQUE	FACTEUR DE RESISTANCE ANTIGLISSEMENT	SEC	MOUILLE
	8,5 mm	RESISTANT ISO 10545.12	~0,1% ISO 10545.3		GA UNI EN ISO 10545.13 5 UNI EN ISO 10545.14	DIN 51130 DIN 51097 ANSI 137.1 (DCOF) BCRA	R 9 ->0,40	- B ≥0,42 >0,40
Price codes:  Mq.  Ml.  Pieces								

FIRE

La porcellana smaltata

The glazed porcelain - Glasiertes Feinsteinzeug - La porcelaine émaillée



faetano

Ceramica Faetano S.p.a.
Strada del Marano, 24 - 47896 Faetano - Repubblica di San Marino
Tel. (+378) 0549 996037 - Fax (+378) 0549 996038
www.delconca.com - info@delconca.com